



ADVENTURE THE WORLD

WWW.LIANMEIGROUP.COM



***PRODUCT
CATALOGUE***

**2025
ELECTRIC BIKE/SCOOTER**

ABOUT US

Zhejiang Lianmei Industrial Co.,Ltd. (abbreviated as "Lianmei") was founded in 1986, specializing in the production of recreational vehicles and new energy vehicles (ATV, Dirt bike, E-scooter, E-bicycle and E-balance bike), with more than 30 years of export experience. Lianmei has our own workshops of metalworking, CNC, welding, color coating and assembling, with more than 300 employees. Our factory covers an area of 40000 square meters. Lianmei as a professional ODM & OEM factory, we always highly focus on product quality, customer demand, fast delivery and good customer service. After 30 years of development, Lianmei has established a strict quality control system, which has passed ISO9001 Quality Management System. We also have WMI and pass BSCI factory audit. We have got many certificates (CE/EMC/ROSH/LVD/EN17128/EN15194/EEC) for our products to meet different market requirements. Intense R&D works are performed daily to meet the needs of our customers and the community.

"Passion and People", that's what Lianmei focuses on. Lianmei puts into all of our products from the quality, to the love, the care and the energy. We are passionate about everything we do here. This passion for the vehicle industry translates to the products that you see today. We help to do our part to create a more funny world and most importantly share what outdoor fun can be for our people. We are dedicated professionals who put our vehicle product quality above all.

Our principle is "Responsible for the customer, the staff, and responsible for the society". And our factory aim is providing our customers with a stable, safe product. Satisfying our customer's desires and grow up together. We wish to be the optimal choice of vehicle line for everyone who are with passion for it.



CONTENTS

FAT EBIKE	04
CITY EBIKE	07
MID DRIVE EBIKE	09
MINI EBIKE	10
CARGO EBIKE	12
ELECTRIC CITYCOO	13
ELECTRIC SCOOTER	15

Test Report issued under the responsibility of:



TEST REPORT

EN 17128
Light motorized vehicles for the transportation of persons and goods and related facilities and not subject to type-approval for on-road use - Personal light electric vehicles (PLEV) - Safety requirements and test methods

Report Number: ARVQESH4P2111483
Date of issue: June 25, 2023
Total number of pages: 44

Testing Laboratory: LGE CHINA COMPANY LIMITED
Testing location address: Building A, No. 518, Xixi Zhen Road, Caohejing Songjiang High-Tech Park, Shanghai P.R.C.(201812)


Tested by (name + signature): Project engineer: Kan YE / Guilan LI
Approved by (name + signature): Project manager: Feifei LI

Applicant's name: ZHEJIANG LIANMEI INDUSTRIAL CO., LTD
Address: NO.99 JIUCHOU ROAD HARDWARE INDUSTRIAL AREA, YONGKANG CITY, ZHEJIANG PROVINCE, CHINA

Test specification: EN 17128:2020
Test procedure: CE Scheme

This report is prepared by and represents by reference the 'Conditions of Testing' as posted at the date of issuance of the report at the laboratory's website and the applicable harmonized standards, unless otherwise specified. The report is for the sole use of the client and is not to be used for any other purpose, in whole or in part, without the written consent of the laboratory. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements.

Trade Mark: ZHEJIANG LIANMEI INDUSTRIAL CO., LTD
Manufacturer: NO.99 JIUCHOU ROAD HARDWARE INDUSTRIAL AREA, YONGKANG CITY, ZHEJIANG PROVINCE, CHINA
Model/Type reference: LME-350 8 Swh, LME-350 15wh
Ratings: Input Voltage: 20VDC, 350V; Max. Payload: 150kg; IPX4
Charge: 4.0Ah/4.5Ah/5.2Ah



VERIFICATION OF EMC COMPLIANCE

No. 1426300880214741C
Address: Zhejiang Lianmei Industrial Co., Ltd
No. 99, Jiuchou Road, Hardware Industrial Area, Yongkang City, Zhejiang Province, China
New Address: Zhejiang Lianmei Industrial Co., Ltd
No. 99, Jiuchou Road, Hardware Industrial Area, Yongkang City, Zhejiang Province, China
Product Code/Item: LME-350
Model No: LME-350-LME-350-LME-350-LME-350
Technical Data: Not applicable client
Type of equipment or major function: Hand-held and hand-held motorized with
Test Standard: EN 55012:2002
No. of items to be tested: 100
Test Report Ref: LME3500880214741C

This certificate of EMC compliance has been granted to the applicant based on the results of the tests performed by reference to the applicable harmonized standards and the applicable harmonized standards, unless otherwise specified. The report is for the sole use of the client and is not to be used for any other purpose, in whole or in part, without the written consent of the laboratory. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements. The laboratory is not responsible for the safety or compliance of the test results with any regulatory or other requirements.

Signed by: [Signature]

Shanghai Inspection Certification Assessment Co., Ltd.
Address: No. 1000, Zhongyuan Road, Pudong District, Shanghai, China
Tel: +86 21 5835 1111
Fax: +86 21 5835 1111
E-mail: info@shicpa.com.cn
Website: www.shicpa.com.cn



QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 11723-QU-0146-11-RSM
This is to certify that: Zhejiang Lianmei Industrial Co., Ltd.
Unified social credit code: 913307014735672018
Registered Address: No. 99, West Jiuchou Road, Economic Development Zone, Yongkang, Zhejiang, China
Business Address: No. 99 West Jiuchou Road, Hardware Industrial Area, Yongkang, Zhejiang, China
This established MS conforms to: GB/T19001-2016/ISO9001:2015
Scope of approval: Manufacture (Export) of ATV, Electric Bicycle, Scooter, Fitness Equipment (Running Machine), Balance Vehicle

Signed by: [Signature]

Shanghai Inspection Certification Assessment Co., Ltd.
Address: No. 1000, Zhongyuan Road, Pudong District, Shanghai, China
Tel: +86 21 5835 1111
Fax: +86 21 5835 1111
E-mail: info@shicpa.com.cn
Website: www.shicpa.com.cn

Monitoring summary report for Zhejiang Lianmei Industrial Co., Ltd.
MONITORING ID: 23-0208962-1

Marketed Party: Zhejiang Lianmei Industrial Co., Ltd.
Monitoring Activity: Manufacturing
Monitoring Type: Follow-up Monitoring
Monitoring Period: Q3&4 Limited
Monitoring Start Date: 2020/2/24
Closing Meeting/Finished Date: 31/05/2024
Expansion Date: 10/09/2025
Site: Zhejiang Lianmei Industrial Co., Ltd.
Monitoring ID: 23-0208962-001

This is an extract of the online Monitoring Result, generated on 03/06/2024, and is only valid as an acknowledgment of the result. To use of the result, review the full monitoring result, which is available on the [product Sustainability](#) website. The English version is the legally binding one.

OVERALL RATING: A

SECTION RATING:

PA1: Social Management System	C
PA2: Workers Involvement and Protection	A
PA3: The Rights of Freedom of Association and Collective Bargaining	A
PA4: No Discrimination	A
PA5: Fair Remuneration	B
PA6: Decent Working Hours	D

Verification of Compliance

Verification No: M232001123-010184
Name and address of Applicant: Zhejiang Lianmei Industrial Co., Ltd
Name and address of Manufacturer: Zhejiang Lianmei Industrial Co., Ltd
Product name: electric bicycles
Rated input voltage: 24V/36V
Battery Capacity: 201.6Ah
Motor: 24V/36V
Input: 100-240V~50/60Hz, 1.6A; Output: 25-4V/7.2A for switching power supply
Product model: LME350
Product platform: Harmonic Drive
This verification confirms that the product meets the requirements of the following standard: The conformity was demonstrated based on following standards listed by European Commission as harmonized with MD Directive (2009/42/EC), LVD Directive (2011/65/EU) & EMC Directive (2014/53/EU).
EN15194:2017
The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:
Test reported by: M232001123-010184
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: July 15, 2023

TMC Testing Services (Shenzhen) Co., Ltd.
19F, Shuk A, Sunshin Industrial Park, No. 2, Shikuan Road, Shikuan Community, Shikuan Street, Baoan District, Shenzhen, China
www.tmc-lab.com
tmc@tmc-lab.com

Lab Director: Qianxin Yu



LMTDF-57L-2

Battery	48V10.0Ah lithium battery, removable
Motor	48V350W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	35-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours



LMTDF-46L

Battery	36V10Ah lithium battery, removable
Motor	36V350W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	30-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours



LMTDF-46L-4

Battery	36V15Ah lithium battery
Motor	36V350W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	45-50km (PAS)
Max Loading	100KG
Charging time	8-10 hours

POWER

BASIC PARAMETER

Product size	170*70*100cm
Color	Color as order
Frame	Alu alloy 6061,20"
Fork	Alu alloy
Suspension	F & R spring suspension
Tire	20*4.0 inch
Brake	F & R hydraulic disc brake
Derailleur	Shimano 7 speeds
Function	PAS&TAG(Throttle)
Seat height	78cm
Packing size	142*31*80cm
G.W/N.W	36/31KGS
Container Loading	72pcs/20FT;172pcs/40HQ

Product size	173*66*120cm
Color	Color as order
Frame	Alu alloy 6061,20"
Fork	Alu alloy
Suspension	Front suspension
Tire	20*4.0 inch
Brake	F/R disc brake
Derailleur	Shimano 7 speeds
Function	PAS&TAG(Throttle)
Seat height	82cm
Packing size	146*27*76cm
G.W/N.W	29/25KGS
Container Loading	80pcs/20FT;192pcs/40HQ

Product size	167*66*115cm
Color	Color as order
Frame	Alu alloy 6061,20"
Fork	Alu alloy
Suspension	Up side down spring suspension
Tire	20*4.0inch
Brake	F & R hydraulic disc brake
Derailleur	Single speed
Function	PAS&TAG(Throttle)
Seat height	81cm
Packing size	146*27*76cm
G.W/N.W	33/28KGS
Container Loading	80pcs/20FT;192pcs/40HQ



LMTDN-02L

POWER

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LED
Max speed	25km/h or 32km/h
Max distance	30-40km (PAS)
Max Loading	100KG
Charging time	4-6 hours

BASIC PARAMETER

Product size	151*66*99cm
Color	Color as order
Frame	Alu alloy 20"
Fork	Alu alloy
Tire	20*4.0 inch
Brake	F/R disc brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	132*28*74cm
G.W/N.W	28/23KGS
Container Loading	102pcs/20FT 243pcs/40HQ



LMTDR-03L-2

POWER

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	30-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	173*63*117cm
Color	Color as order
Frame	Alu alloy 20",foldable
Fork	Alu alloy
Tire	20*4.0 inch
Brake	F/R disc brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	147*28*64cm
G.W/N.W	31/26KGS
Container Loading	106pcs/20FT 240pcs/40HQ



LMTDR-08L-2

POWER

Battery	36V 10Ah lithium battery
Motor	36V 250W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	35-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	166*62*115cm
Color	Color as order
Frame	Alu alloy 20", foldable
Fork	Alu alloy
Tire	20*4.0 inch
Brake	F/R disc brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	142*36*68cm
G.W/N.W	33/27KGS
Container Loading	100pcs/20FT; 224pcs/40HQ



LMTDR-10L-2

POWER

Battery	36V 10Ah lithium battery
Motor	36V 250W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	35-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	170*68*120cm
Color	Color as order
Frame	Alu alloy 20", foldable
Fork	Alu alloy
Tire	20*4.0 inch
Brake	F/R disc brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	147*28*64cm
G.W/N.W	31/26KGS
Container Loading	106pcs/20FT; 240pcs/40HQ



LMTDF-15L

POWER

Battery	24V8Ah lithium battery
Motor	24V250w brushless motor
Display	LED
Max speed	25km/h
Max distance	17-25km (PAS)
Max Loading	100KGS
Charging time	3-5 hours

BASIC PARAMETER

Product size	183*64*116cm
Color	Color as order
Frame	Steel 26"
Fork	Steel
Tire	26*1.75 inch
Brake	Front V brake,Rear drum brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	148*27*78cm
G.W/N.W	32/26KGS
Container Loading	87pcs/20FT 210pcs/40HQ



LMTDF-36L

POWER

Battery	36V10Ah lithium battery
Motor	36V350W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	30-40km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	183*69*123cm
Color	Color as order
Frame	Alu alloy 26"
Fork	Alu alloy,with suspension
Tire	26*1.75 inch
Brake	F/R disc brake
Derailleur	Shimano 7 gears
Function	PAS&TAG(Throttle)
Packing size	145*28*77cm
G.W/N.W	29/24KGS
Container Loading	96pcs/20FT 215pcs/40HQ



LMTDF-51L

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	100KGS
Charging time	4-6 hours



LMTDF-52L

Battery	36V10AH lithium battery
Motor	36V250W brushless motor
Display	LCD
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	120kg
Charging time	4-6 hours



LMTDF-54L

Battery	36V6Ah lithium battery
Motor	36V250W brushless motor
Display	LCD
Max speed	25km/h
Max distance	20-30km (PAS)
Max Loading	100KGS
Charging time	3-4hours

POWER

BASIC PARAMETER

Product size	180*63*115cm
Color	Color as order
Frame	Alu alloy 700C
Fork	Alu alloy
Handle bar/Stem	Alu alloy 6061#
Tire	700C*38C
Rim	Alu alloy 6061# double wall rims
Brake	F/R disc brake
Derailleur	Shimano 7 gears
Function	PAS&TAG(Throttle)
Packing size	145*27*77cm
G.W/N.W	28/24KGS
Container Loading	96pcs/20FT;219pcs/40HQ

Product size	182*68*117cm
Color	Color as order
Frame	Alu alloy 700C
Fork	Alu alloy
Handle bar/Stem	Alu alloy 6061#
Tire	700C*38C
Rim	Alu alloy 6061# double wall rims
Brake	F/R disc brake
Derailleur	Shimano 7 gears
Function	PAS & TAG(Throttle)
Packing size	145*27*77cm
G.W/N.W	28/23KGS
Container Loading	96pcs/20FT;215pcs/40HQ

Product size	174*61*103.5cm
Color	Color as order
Frame	Alu alloy 700C
Fork	Alu alloy
Handle bar/Stem	Alu alloy 6061#
Tire	700C*28C
Rim	Alu alloy 6061# double wall rims
Brake	F/R disc brake
Derailleur	N/A
Function	PAS&TAG(Throttle)
Packing size	135*22*77cm
G.W/N.W	24/19KGS
Container Loading	156pcs/20FT;277pcs/40HQ



LMTDF-60L

POWER

Battery	48V10Ah lithium battery
Motor	48V500W brushless motor
Display	LCD display
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	180*71*115cm
Color	Color as order
Frame	Alu alloy 26"
Fork	Suspension fork
Tire	26*2.35 inch
Brake	F/R disc brake
Derailleur	Shimano 7 gears
Function	PAS & TAG(Throttle)
Packing size	148*28*82cm
G.W/N.W	32/28KGS
Container Loading	75pcs/20FT;192pcs/40HQ



LMTDF-64L

POWER

Battery	48V10Ah lithium battery
Motor	48V1000W brushless mid drive motor
Display	LCD display
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	100KGS
Charging time	4-6 hours

BASIC PARAMETER

Product size	198*65.5*118cm
Color	Color as order
Frame	Alu alloy 26" with suspension
Fork	Suspension fork
Tire	26*4.0 inch
Brake	F/R disc brake
Derailleur	S-ride 10 gears
Function	PAS & TAG(Throttle)
Packing size	167*36*88cm
G.W/N.W	39/35KGS
Container Loading	58pcs/20FT;126pcs/40HQ



LMTDF-77L Balance bike

Battery	36V5.2Ah lithium battery
Motor	36V350W brushless motor
Display	LED display
Max speed	25km/h or 30km/h
Max distance	25-30km
Max Loading	50kgs
Charging time	3-6 hours



LMTDF-13L Balance bike

Battery	36V6Ah lithium battery
Motor	36V350W brushless motor
Display	LCD,with Key(on/off),3 speeds
Max speed	25-30km/h
Max distance	25-30km
Max Loading	100KGS
Charging time	3-5hours



LMTDR-16L

Battery	36V6Ah lithium battery
Motor	36V250W brushless motor,hub motor
Display	N/A
Max speed	25-30km/h
Max distance	20-30km (PAS)
Max Loading	100KGS
Charging time	3-5hours

Product size	135*68*90cm
Color	Color as order
Frame	Steel frame
Fork	Steel fork
Tire	16*3.0"
Brake	Rear mechanical Disc Brake
Derailleur	Single gear
Function	TAG(throttle)
Seat height	65cm
Packing size	115*30*68cm
G.W/N.W	26 /23KGS
Container Loading	120pcs/20FT;276pcs/40HQ

Product size	114*49*106cm
Color	Color as order
Frame	Steel 14"/16"
Fork	Steel
Tire	14*2.125inch (Option:16")
Brake	F/R disc brake
Derailleur	Single gear
Function	TAG(throttle)
Seat height	84cm
Packing size	115*28.5*70cm
G.W/N.W	19/17KGS
Container Loading	150pcs/20FT;370pcs/40HQ

Product size	140*63*117cm
Color	Color as order
Frame	Steel 16",with suspension,foldable
Fork	Steel,with suspension
Tire	16*2.125 inch
Brake	F&R drum brake
Derailleur	Single gear
Function	PAS&TAG (Throttle)
Seat height	87cm
Packing size	84*37*63cm
G.W/N.W	28.5/24KGS
Container Loading	138pcs/20FT;336pcs/40HQ



LMTDR-03L

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LED
Max speed	25km/h or 32km/h
Max distance	35-50km(PAS)
Max Loading	100KGS
Charging time	4-6hours



LMTDR-09L

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LED
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	100KGS
Charging time	4-6hours



LMTDR-17L

Battery	36V10Ah lithium battery
Motor	36V250W brushless motor
Display	LED
Max speed	25km/h or 32km/h
Max distance	35-50km (PAS)
Max Loading	100KGS
Charging time	4-6hours

Product size	157*56*106cm
Color	Color as order
Frame	Alu alloy 20",foldable
Fork	Alu alloy
Tire	20*1.75 inch
Brake	Front V brake,Rear V brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	144*28*65cm
G.W/N.W	27.5/23.5KGS
Container Loading	96pcs/20FT;264pcs/40HQ

Product size	157*56*106cm
Color	Color as order
Frame	Alu alloy 20",foldable
Fork	Alu alloy
Tire	20*1.75 inch
Brake	Front V brake,Rear disc brake
Derailleur	Shimano 6 gears
Function	PAS&TAG(Throttle)
Packing size	144*28*65cm
G.W/N.W	27.5/23.5KGS
Container Loading	96pcs/20FT;264pcs/40HQ

Product size	155*62*110cm
Color	Color as order
Frame	Steel 20",foldable
Fork	Steel
Tire	20*1.75 inch
Brake	Front V brake,Rear drum brake
Derailleur	Single gear
Function	PAS&TAG(Throttle)
Packing size	86*44*70cm
G.W/N.W	32/29KGS
Container Loading	96pcs/20FT;215pcs/40HQ



LMTDF-CA17

POWER

Battery	2PCS 48V20Ah lithium battery
Motor	48V500w brushless motor
Display	LCD
Max speed	35km/h
Max distance	140-150km (PAS)
Max Loading	130kg
Charging time	10-12hours

BASIC PARAMETER

Product size	188*68*120cm
Color	Color as order
Frame	Alu alloy 6061,20"
Fork	Alu alloy
Suspension	without
Tire	20*2.35 inch
Brake	F/R Hydraulic disc brake
Derailleur	single gear
Function	PAS&TAG(Throttle)
Seat height	85-100cm
Packing size	157*31*72cm
G.W/N.W	50/45KGS
Container Loading	72pcs/20FT;174pcs/40HQ



LMTDF-CA18

POWER

Battery	48V10.0Ah lithium battery
Motor	48V350W brushless motor
Display	LCD
Max speed	25 km/h
Max distance	35-40km (PAS)
Max Loading	120KGS
Charging time	6-8 hours

BASIC PARAMETER

Product size	170*78*102cm
Color	Color as order
Frame	Alu alloy 20"
Fork	Alu alloy
Suspension	without
Tire	20*3.5 inch
Brake	F & R hydraulic disc brake
Derailleur	Shimano 7 speeds
Function	PAS & TAG (Throttle)
Seat height	84-100cm
Packing size	142*31*85cm
G.W/N.W	37/32KGS
Container Loading	72pcs/20FT;172pcs/40HQ



LME-1000-C1

POWER

Battery	60V10.4AH Lithium battery
Motor power	60V1000W brushless motor
Max speed	35KM/H
Max distance	35-60KM(based on the battery capacity)
Max Loading	100KGS
Charging time	5-6 hours

BASIC PARAMETER

Product size	190*83*115cm
Frame	Steel
Foldable	NO
Suspension	Solid fork
Tyre size	F:18*9.5-8 inch & R:18*9.5-8 inch
Brake type	F&R Hydraulic disc brake
Drive mode	Rear wheel motor
Seat	1 seat
Packing size	175*37*75cm
G.W/ N.W	73KGS/60KGS
Container Loading	57pcs/20FT;120pcs/40HQ



LME-1000-C2

POWER

Battery	60V10.4AH Lithium battery
Motor power	60V1000W brushless motor
Max speed	35KM/H
Max distance	35-60KM(based on the battery capacity)
Max Loading	100KGS
Charging time	5-6 hours

BASIC PARAMETER

Product size	190*83*115cm
Frame	Steel
Foldable	NO
Suspension	With suspension fork
Tyre size	F:18*9.5-8 inch & R:18*9.5-8 inch
Brake type	F&R Hydraulic disc brake
Drive mode	Rear wheel motor
Seat	2 seat
Packing size	175*37*75
G.W/ N.W	75KGS/63KGS
Container Loading	57pcs/20FT;120pcs/40HQ

EEC



LME-1000-C3

POWER

Battery	60V13AH Lithium battery
Motor power	60V1500W brushless motor
Max speed	45KM/H
Max distance	35-60KM(based on the battery capacity)
Max Loading	100KGS
Charging time	6-8 hours

BASIC PARAMETER

Product size	206*91*112cm
Frame	Steel
Foldable	NO
Suspension	Front Suspension fork + Rear 1 suspensions
Tyre size	F:130/70-12inch & R:215/40-12inch
Brake type	F&R Hydraulic disc brake
Drive mode	Rear wheel motor
Seat	1 seat
Packing size	116*46*94cm
G.W/ N.W	88KGS/77KGS
Container Loading	23pcs/20FT;72pcs/40HQ



LME-1000-C4

POWER

Battery	60V10.4AH Lithium battery
Motor power	60W1000W brushless motor
Max speed	35KM/H
Max distance	35-60KM(based on the battrey capacity)
Max Loading	100KGS
Charging time	5-6H

BASIC PARAMETER

Product size	189*65.5*109cm
Frame	Steel
Foldable	NO
Suspension	Front Suspension fork + Rear 2 suspensions
Tyre size	F:18*9.5-8 inch & R:18*9.5-8 inch
Brake type	F&R Hydraulic disc brake
Drive mode	Rear wheel motor
Seat	with 2 seat, with storage case under the seat
Packing size	175*39*85CM
G.W/ N.W	75KGS/65KGS
Container Loading	44pcs/20FT;112pcs/40HQ

POWER



LME-250C

Battery	36V5.2Ah lithium battery (Max 36V15Ah)
Motor power	250W brushless motor
Max speed	25km/h
Max distance	18-55km (based on different battery capacity)
Max Loading	100kgs
Charging time	3-7hours



EN17128

LME-350 8.5inch

Battery	36V 7.8Ah lithium battery (Max 36V15Ah)
Motor power	350W brushless motor
Max speed	25km/h
Max distance	20-55km (based on different battery capacity)
Max Loading	100kgs
Charging time	3-7 hours



EN17128

LME-350 10inch

Battery	36V 7.8Ah lithium battery (Max 36V12.5Ah)
Motor power	350w brushless motor
Max speed	25km/h
Max distance	20-45km (based on different battery capacity)
Max Loading	100kgs
Charging time	3-7 hours

BASIC PARAMETER

Product size	107*28.5*51.5cm
Frame	Steel
Foldable	Yes
Suspension	No
Tyre size	Front 8 inch & Rear 8 inch
Brake type	Rear electric brake
Drive mode	Rear wheel motor
Ground clearance	7cm
Size (folding)	100*25*46cm
Size (Unfolding)	103*50.5*105cm
Packing size	106*27*50cm
G.W/ N.W	17/13.5kgs
Container Loading	180pcs/20FT;440pcs/40HQ

Product size	115*48*113.5cm
Frame	Alloy Alu
Foldable	Yes
Suspension	No
Tyre size	Front 8.5 inch & Rear 8.5 inch
Brake type	Rear electric + drum brake
Drive mode	Rear wheel motor
Ground clearance	8cm
Size (folding)	103*22*40.5cm
Size (Unfolding)	115*48*113.5cm
Packing size	109*23*44cm
G.W/ N.W	17/15kgs
Container Loading	240pcs/ 20FT;530pcs/ 40HQ

Product size	120*60*117.5cm
Frame	Alloy Alu
Foldable	Yes
Suspension	With suspension pedal
Tyre size	Front 10 inch & Rear 10 inch
Brake type	Rear electric + disc brake
Drive mode	Rear wheel motor
Ground clearance	8cm
Size (folding)	111*16.5*45cm
Size (Unfolding)	120*60*117.5cm
Packing size	124*24*47cm
G.W/ N.W	19/15.5kgs
Container Loading	208pcs/ 20FT;460pcs/ 40HQ

LIANMEI



ADVENTURE THE WORLD

WWW.LIANMEIGROUP.COM

CONTACT INFO



No.99 th,West Jiuzhou Road
Yongkang City, Zhejiang,China



+86-15267930137
+86-579-87481198



Sales@cnlianmei.com
Fax: +86-579-87481627